

Exercise Sheet 2

COMS10007 Algorithms 2019/2020

11.02.2020

Reminder: $\log n$ denotes the binary logarithm, i.e., $\log n = \log_2 n$.

1 Θ and Ω

1. Let $c > 1$ be a constant. Prove or disprove the following statements:

- (a) $\log_c n \in \Theta(\log n)$.
- (b) $\log(n^c) \in \Theta(\log n)$.

2. Let $c > 2$ be a constant. Prove or disprove the following statement:

$$2^n \in \Theta(c^n) .$$

3. Prove that the following two statements are equivalent:

- (a) $f \in \Theta(g)$.
- (b) $f \in O(g)$ and $g \in O(f)$.

4. Prove that the following two statements are equivalent:

- (a) $f \in \Omega(g)$.
- (b) $g \in O(f)$.

2 O -notation

1. Given are the functions:

$$f_1 = 2^{\sqrt{n}}, f_2 = \log^2(20n), f_3 = n!, f_4 = \frac{1}{2}n^2/\log(n), f_5 = 4\log^2(n), f_6 = 2^{\sqrt{\log n}} .$$

Relabel the functions such that $f_i \in O(f_{i+1})$ (no need to give any proofs here).

2. Give functions f, g such that $f(n) \in O(g(n))$ and $2^{f(n)} \notin O(2^{g(n)})$.

3 Runtime Analysis

<hr/> Algorithm 1 <hr/>	<hr/> Algorithm 2 <hr/>	<hr/> Algorithm 3 <hr/>	<hr/> Algorithm 4 <hr/>
Require: Int $n \geq 1$	Require: Int $n \geq 1$	Require: Int $n \geq 1$	Require: Int $n \geq 1$
$x \leftarrow 0$	$x \leftarrow 0$	$x \leftarrow 0$	$x \leftarrow 0$
$i \leftarrow 1$	$i \leftarrow 1$	$i \leftarrow 1$	$i \leftarrow 1$
for $i = 1 \dots n$ do	for $i = 1 \dots n$ do	while $i \leq n$ do	while $i \leq n$ do
for $j = 1 \dots n$ do	for $j = i \dots n$ do	for $j = 1 \dots n$ do	for $j = 1 \dots i$ do
$x \leftarrow x + i \cdot j$	$x \leftarrow x + i \cdot j$	$x \leftarrow x + i \cdot j$	$x \leftarrow x + i \cdot j$
end for	end for	end for	end for
end for	end for	$i \leftarrow 2 \cdot i$	$i \leftarrow 2 \cdot i$
return x	return x	end while	end while
		return x	return x

Determine the runtimes of Algorithms 1,2,3 and 4 using Big “Theta” notation.

4 Average Case Runtime of Linear Search (difficult!)

For integers $k, n \geq 1$ let $S_k(n)$ be the set of all integer arrays of length n where every array entry is taken from the set $\{0, 1, 2, \dots, k - 1\}$.

1. What is the average case runtime of linear search on $S_3(n)$?
2. What is the average case runtime of linear search on $S_C(n)$, for any constant C ?
3. What is the average case runtime of linear search on $S_n(n)$?
4. What is the average case runtime of linear search on $S_{\sqrt{n}}(n)$?